

No. 32

A N O R D I N A N C E

PROVIDING FOR THE LAYING OF SIDEWALKS ON THAT PORTION OF MAIN STREET, IN THE BOROUGH OF BENTLEYVILLE, EXTENDING FROM THE RAILROAD CROSSING NEAR WHITE'S MILL TO THE ELLSWORTH BOROUGH LINE.

-----o\$0-----

BE IT ORDAINED AND ENACTED By the Burgess and Town Council of the Borough of Bentleyville, Washington County, Pennsylvania, and it is hereby ordained and enacted by authority of the same:-

SECTION I. That upon the approval of this ordinance sidewalks shall be graded for and laid on both sides of Main Street, within said Borough, extending from the railroad crossing near White's Mill to where the said Main Street crosses the Borough line adjoining the Borough of Ellsworth, by the owners of properties abutting upon the said required sidewalks, in accordance with the provisions of this ordinance.

Section II. The said sidewalks shall be constructed of sawed stone or concrete laid on a foundation or bed of cinders, slag or crushed stone, of not less than four inches in depth, and so laid that the top of the sidewalk shall be even with the grade line fixed for the top of the curb, and with a slope toward the curb of one quarter inch to each foot in width of the sidewalk, and said walk from the railroad crossing near White's Mill to where the said Main Street intersects with the Beallsville Road shall be of a uniform distance of eleven feet six inches from center of said Main Street, and said sidewalk shall be not less than three feet in width, and the said sidewalk from the Beallsville Road to where the said Main Street crosses the Borough line adjoining the Borough of Ellsworth shall be of a uniform distance of seven feet nine inches from the center of said Main Street, and the said sidewalk shall be not less than three feet in width.

SECTION III. Where the said sidewalks are laid with sawed stone, the same shall be not less than 2 inches in thickness, and where the same are laid of concrete, it shall be composed of one part first-class Portland cement, three parts clean river sand, and five parts clean screened gravel or fine broken stone thoroughly mixed. This mixture, when placed on the foundation thoroughly rammed or rolled, shall have a thickness of not less than 4 inches, and upon this rolled concrete so prepared there shall be placed a top dressing or facing of not less than one ~~inch~~ inch in thickness, the same to be composed of one part first-class Portland cement and two parts clean blue limestone screenings or Ligonier chip, and all work and material shall meet with the approval of the Street Committee or Council.

SECTION IV. Immediately upon the adoption of this ordinance, the Borough Clerk shall give notice to all parties or persons owning property abutting upon the said street, within the limits above mentioned, to grade for and lay the sidewalk in front of such properties so owned by them, in accordance with the provisions of this ordinance, within sixty days from the date of service of such notice, and it shall be the duty of all such owners of property to grade for and lay the sidewalk in front of the property so owned by them respectively, abutting on the portion of said Main Street above designated, and to complete the same within sixty days from the receipt of such notice.

SECTION V. In case any property owner or occupier shall violate the provisions of this ordinance, or fail to grade for, lay or relay, or cause to be graded for, laid or

relaid, a sidewalk, in accordance with the provisions hereof within sixty days from the service of notice as above provided, it shall be the duty of the Street Committee to cause such sidewalk to be graded for and laid or relaid, in accordance with the requirements of this ordinance, and the cost of the work and material of such grading, laying or relaying, with ten per cent. advance, shall be collected from the defaulting property owner, as provided by Act of Assembly of the Commonwealth of Pennsylvania in such case made and provided.

SECTION 6. All ordinances, or parts of ordinances, in consistent herewith or supplied hereby, be, and the same are hereby, repealed, in so far as the same conflict with or are supplied by this ordinance.

ORDAINED AND ENACTED Into an ordinance this 18 day of October, A. D. 1913.

A. B. Crouch
President of Council.

ATTEST:-

W. T. Stephens
Borough Clerk.

EXAMINED AND APPROVED By me this 23 day of October, A. D. 1913.

W. M. Johnson
Burgess.

ATTEST:-

W. T. Stephens
Borough Clerk.