

ORDINANCE NO. 89

AN ORDINANCE PROVIDING FOR THE LAYING OF A SIDEWALK ALONG THE WEST SIDE OF THAT PORTION OF SOUTH MAIN STREET IN THE BOROUGH OF BENTLEYVILLE, BEGINNING AT THE WEST SIDE STREET RAILWAY COMPANY RIGHT OF WAY AND EXTENDING TO THE ELLSWORTH BOROUGH LINE AND ALSO ON THE EAST SIDE OF THOSE PORTIONS OF SOUTH MAIN STREET EXTENDING FROM THE WEST SIDE STREET RAILWAY COMPANY RIGHT OF WAY TO OAK STREET AND FROM THE BENTLEYVILLE-BEALLSVILLE ROAD TO THE ELLSWORTH BOROUGH LINE.

BE IT ORDAINED AND ENACTED by the Burgess and Town Council of the Borough of Bentleyville, in the County of Washington and State of Pennsylvania, and it is hereby ordained and enacted by authority of the same:

SECTION I.

That upon the approval of this ordinance, sidewalks shall be graded for and laid on the West side of South Main Street, within said Borough, extending from the right of way of the West Side Street Railway Company to the Ellsworth Borough Line and also on the East side of said South Main Street, extending from right of way of the West Side Street Railway Company to Oak Street and also extending along the East side of South Main Street, from the Bentleyville-Beallsville Road to the Ellsworth Borough line, by the owners of the property abutting upon said sidewalks, in accordance with the provisions of this Ordinance.

SECTION II.

The sidewalks shall be constructed of concrete laid on a sub-grade so rolled and tamped as to form a compact uniform surface. The top of the sidewalk shall be even with the top of the curb, with a slope toward the curb of one-fourth ( $1/4$ ) inch to each foot in width of the sidewalk and shall be four and one-half ( $4 \frac{1}{2}$ ) feet in width and laid adjacent to the curb.

SECTION III.

The sidewalks shall consist of a solid slab of concrete, com-

posed of one part First Class Portland Cement, two parts clean river sand and four parts clean screened gravel or broken limestone or slag, thoroughly mixed. This mixture shall be spread upon the sub-grade, thoroughly tamped and floated until the surface is smooth and shall have a uniform thickness of not less than four (4) inches. All work and materials to be approved by the Street Committee of Council.

#### SECTION IV.

That immediately upon the adoption of the ordinance, the borough clerk shall give notice to all parties or persons owning property abutting upon the said streets, within the limits above mentioned, to grade for and lay the sidewalks in front of such property so owned by them in accordance with the provisions of this ordinance within sixty (60) days from the date of such notice and it shall be the duty of all such owners of property to grade for and lay the sidewalk in front of their property so owned by them respectively, abutting on the portion of said South Main Street above designated and to complete the same within sixty days from the receipt of such notice.

#### SECTION V.

In case any property owners or occupiers shall violate the provisions of this ordinance or fail to grade for, lay or relay or cause to be graded for, laid or relaid, the sidewalk in accordance with the provisions hereof, within sixty days from the date of notice above provided, it shall be the duty of the Street Committee to cause such sidewalk to be graded for, laid or relaid in accordance with the requirements of this ordinance and the cost of the work and materials of such grading, laying or relaying, with ten per centum advance, shall be collected from the defaulting lot owner, as provided by the Acts of Assembly of the Commonwealth of Pennsylvania in such case made and provided.

#### SECTION VI.

All ordinances and parts of ordinances in conflict herewith, are hereby repealed.

ORDAINED AND ENACTED INTO AN ORDINANCE this 10th  
day of Nov. A. D. 1925.

ATTEST:

G. E. Barnett.  
Secretary

F. E. White  
President of Council

EXAMINED AND APPROVED BY ME, this 1st. day of  
Dec. A. D. 1925.

ATTEST:

G. E. Barnett.  
Secretary

J. W. Smith  
Burgess